



**Metro<sup>+</sup>**  
LOOKING FOR SAFETY



**YOUR SAFETY  
OUR PRIORITY**



2925:1984  
3521:1999



CM/L-8100092510  
CM/L-8100112991

**Mfrs. of Industrial  
Safety and Road Safety Products**



**Narender Singhal**  
(Chairman)



**Varun Singhal**  
(Director)

## COMPANY OVERVIEW


To ensure qualitative products, we follow the principle of 'Total Quality Management' (TQM) which elaborates the guidelines followed by all our personnel. Moreover, our safety products are endowed with ISI mark (IS 3521 and IS 2925) by the Bureau of Indian Standards (BIS).

We are continuously progressing under the able guidance of our owner and mentor **Mr. Narender Kumar Singhal**. Capitalizing on his experience and expertise in this industry, we have been able to maintain an excellent position in this domain. Owing to our high level of market expertise, well managed working system and our integrated approach, we are successfully catering to the requirements of a wide clientele across the nation.

**We are pleased to introduce ourselves as an ISI, ISO, CE & EN CERTIFIED COMPANY**

**METRO SAFETY PRODUCTS** always focus on customer satisfaction & long term business growth. We are now focusing on Indian as well as International market. Our main and only important goal is to achieve the customer or vendor delightment for this we all are very much committed & dedicated towards the product quality.

## (OUR CERTIFICATES)





# INDUSTRIAL SAFETY HELMETS

2925:1984



Available in Smart Vented  
& Unvented Design



Manual Adjustment




Ratchet Adjustment

## The Unique Features of Metro Plus Safety Helmets

Penetration Test | Water Absorption | Shock Absorption | Electrical Resistance  
Flammability Resistance | Heat Resistance Nape Type | 6 points tectonic harness  
Flexible comfort chin strap

### COLOUR SHADES OF METRO PLUS SAFETY HELMETS



Grey

Yellow

White

Violet

Blue

Orange

Green

Red



## SAFETY HELMET - DELTA

**Material :** HDPE (outer shell)  
LDPE (inner harness)

**Suspension :** 6 point

**Weight :** 180 gram (+5gram)

**Size :** 540-590mm

**Strap :** Adjustable

**Model No.:** SH-001

## SAFETY HELMET - KING

**Material :** HDPE (outer shell)  
LDPE (inner harness)

**Suspension :** 6 point

**Weight :** 215 gram (+5gram)

**Size :** 540-590mm

**Strap :** Adjustable

**Model No.:** SH-002



## SAFETY HELMET - NICE

**Material :** HDPE (outer shell)  
LDPE (inner harness)

**Suspension :** 6 point

**Weight :** 245 gram (+5gram)

**Size :** 540-590mm

**Strap :** Adjustable

**Model No.:** SH-003



## SAFETY HELMET - METRO+

**Material :** HDPE (outer shell)  
LDPE (inner harness)

**Suspension :** 6 point

**Weight :** 320 gram (+5gram)

**Size :** 540-590mm

**Strap :** Adjustable

**Model No.:** SH-004







## SAFETY HELMET - **SAFEPLUS (EXECUTIVE)**

**Material :** HDPE (outer shell)  
Cotton Fitting (inner harness)  
**Weight :** 350 gram(+5gram)  
**Size :** 540-590mm  
**Strap :** Adjustable with chin guard for better grip  
**Sweat Band :** Brushed Cloth on Foam  
**Model No.:** SH-005



## SAFETY HELMET - **SAFEPLUS (RATCHET)**

**Material :** HDPE (outer shell)  
Cotton Fitting (inner harness)  
**Weight :** 360 gram(+5gram)  
**Size :** 540-590mm  
**Strap :** Adjustable with chin guard for better grip  
**Sweat Band :** Brushed Cloth on Foam  
**Model No.:** SH-006



## SAFETY HELMET - **AIRPLUS (EXECUTIVE)**

**Material :** HDPE (outer shell)  
LDPE (inner harness)  
**Weight :** 360gram (+5gram)  
**Size :** 540-590mm  
**Strap :** Adjustable with chin guard for better grip  
**Sweat band :** Brushed cloth on foam  
**Model No.:** SH-007



## SAFETY HELMET - **AIRPLUS (RATCHET)**

**Material :** HDPE (outer shell)  
LDPE (inner harness)  
**Weight :** 360gram (+5gram)  
**Size :** 540-590mm  
**Packing :** 40 pcs carton  
**Strap :** Adjustable with chin guard for better grip  
**Sweat band :** Brushed cloth on foam  
**Model No. :** SH-008





## SAFETY HELMET - MINE

**Material :** HDPE (outer shell)  
Cotton Fitting (inner harness)  
**Weight :** 200 gram (+5gram)  
**Size :** 540-590mm Strap Adjustable  
**Strap :** Adjustable  
**Application :** Suitable for use in Mines  
**Model No.:** SH-009



## SAFETY HELMET - LOADER COTTON FITTING

**Material :** HDPE (outer shell)  
Cotton Fitting (inner harness)  
**Weight :** 200 gram, 240 gram (+5gram) [2 quality]  
**Size :** 540-590mm  
**Strap :** Adjustable  
**Model No.** SH-010



## SAFETY HELMET - LOADER NAPE FITTING

**Material :** HDPE (outer shell)  
Cotton Fitting (inner harness)  
**Weight :** 320 gram (+5gram)  
**Size :** 540-590mm  
**Strap :** Adjustable  
**Model No.** SH-011



## INDUSTRIAL SAFETY HELMETS

**METRO+ SAFETY HELMET CAN ALSO BE FITTED WITH A VARIETY OF ADDITIONAL PPE'S SUCH AS :**

### SAFETY HELMET WITH WELDING SCREEN

**Model No.: SH-012**

Helmet increases productivity because it helps welders do their job better. This headgear allows for optimal glass holder positioning, and the lens provides clear viewing and safe UV/IR filtering. The roomy interior of this helmet promotes air circulation to help clear smoke & fumes. The headgear features free-floating arms that balance & stabilize the helmet while minimizing pressure points, and multiple adjustments for fit and comfort.

**MATERIAL : PPCP**

**WEIGHT : 800 gram (approx.)**

**SIZE : 9x17**

**PACKAGE CONTENT : 1 Pc**



**Model No.: SH-013**



### SAFETY HELMET WITH POLYCARBONATE VISORS

Nape/Ratchet adjustable headband, with standard chin strap protects from flying, falling objects and reduces the damage occur due to them. Can serve many purposes and useful at most places like casual driving, industry visit, cycling, site visit, construction area or site visit, trekking, climbing, technician activities etc.

**Size : 6x12 inch**

**Material : HDPE - High Density Polyethylene.**

**Interior Structure : LDPE - Low Density Polyethylene.**

**Package Content : 1 Pc.**

**Weight : 650 gram**

### SAFETY HELMET WITH LIGHT HELMET

Safety Helmet with chargeable torch and high-quality HDPE material. Our range of Safety Helmet with Torch has been tested by the national authority

These helmets are available in various colors and are manufactured using quality raw material which ensures their durability. These helmets are widely used at construction sites, mining, engineering and allied industries. This helmet is fixed type safety helmet with torch with ratchet safety helmet.

**Type : Nape and Ratchet**

**Usage/Application : Heavy Duty for Mine & Construction Site**

**Material : HDPE - High Density Polyethylene.**

**Interior Structure : LDPE - Low Density Polyethylene**

**Rechargeable light : Yes**

**Package Content : Box**

**Model No. SH-014**





**FULL BODY HARNESS**

### Always inspect the HARNESS before WEARING it


- Hold the Harness by the back D-ring, and allow the straps to fall in their place. The Harness has clear and separate colours for the shoulder and thigh straps, for them to be distinguished easily.
- Inspect the harness webbing for any cuts, burns or damages.
- Check the stitches for their continuity.
- Carefully look for any evidence of corrosion on the metal parts.

### Attachment Points on the HARNESS


The lables marked as 'A' denote the attachment point on the harness. In certain areas the lables are marked 'A/2' meaning that two similar point held together shall constitute a single attachments point.



All Metro+ Harness are also provided with a unique Batch number for each batch being manufactured, ensuring 100% traceability.



### HOW TO WEAR HARNESS



Step 1.

Step 2.

Step 3.

Step 4.

Step 5.

Step 6.





## FULL BODY HARNESS : FOR BASIC FALL ARREST (CLASS A)

(Equipped with adjustable thigh straps and a dorsal attachment D-ring for fall arrest)

**MODEL NO.: SB-001**

**Material :** Polyester/PP

**Standard :** IS 3521:1999

**Colour :** black/green

**Adjustability :** fully adjustable chest & thigh straps

**Hook :** scaffolding/screw/manual/snap

**Rope :** 12mm PP (nylon, braided also available on demand)

**Energy/shock absorber :** available on demand

**Lanyard :** Single/double

## FULL BODY HARNESS : FOR POSITIONING ON THE TOWER (CLASS P)

(Equipped with adjustable thigh straps, a dorsal attachment D-ring for fall arrest and 2 lateral D-rings at the waist level, one on each side. This helps the worker in positioning himself so that he can work with both hands free)

**MODEL NO.: SB-002**

**Material :** Polyester/PP

**Standard :** IS 3521:1999

**Colour :** black/green

**Adjustability :** fully adjustable chest & thigh straps

**Hook :** scaffolding/screw/manual/snap

**Rope :** 12mm PP (nylon, braided also available on demand)

**Energy/shock absorber :** available on demand

**Lanyard :** Single/double



## FULL BODY HARNESS : FOR BASIC CLIMBING (CLASS L)

(Equipped with adjustable thigh straps, a dorsal attachment D-ring for fall arrest and 2 chest attachment D-rings for tower climbing)

**MODEL NO.: SB-003**

**Material :** Polyester/PP

**Standard :** IS 3521:1999

**Colour :** black/green

**Adjustability :** fully adjustable chest & thigh straps

**Hook :** scaffolding/screw/manual/snap

**Rope :** 12mm PP (nylon, braided also available on demand)

**Energy/shock absorber :** available on demand

**Lanyard :** Single/double

# Metro<sup>+</sup> FULL BODY HARNESS

LOOKING FOR SAFETY

3521:1999



## FULL BODY HARNESS : FOR CONFINED ENTRY & EXIT (raising & lowering) (CLASS E)

(Equipped with adjustable thigh straps, a dorsal attachment D-ring for fall arrest and 2 sliding D-rings, and on each shoulder strap. This helps in easy entry into the confined space)

**MODEL NO.: SB-004**

**Material :** Polyester/PP

**Standard :** IS 3521:1999

**Colour :** black/green

**Adjustability :** fully adjustable chest & thigh straps

**Hook :** scaffolding/screw/manual/snap

**Rope :** 12mm PP (nylon, braided also available on demand)

**Energy/shock absorber :** available on demand

**Lanyard :** Single/double



## FULL BODY HARNESS : FOR CONTROLLED DESCENT (CLASS D)

(One sternal D-ring at the front is used in the event of controlled descent from a height. A dorsal attachment D-ring for fall arrest)

**MODEL NO.: SB-005**

**Material :** Polyester/PP

**Standard :** IS 3521:1999

**Colour :** black/green

**Adjustability :** fully adjustable chest & thigh straps

**Hook :** scaffolding/screw/manual/snap

**Rope :** 12mm PP (nylon, braided also available on demand)

**Energy/shock absorber :** available on demand

**Lanyard :** Single/double

# FULL BODY HARNESS (EN361:2002)

SPECIAL PURPOSE C€ CERTIFIED BELTS

**METRO+ INTRODUCES SPECIAL PURPOSE HARNESSES DESIGNED FOR USE IN THE MOST CHALLENGING ENVIRONMENT**



## FULL BODY HARNESS : MODEL NO.: SH-006

[equipped with adjustable shoulder & thigh straps with sliding plates for easy attachment of chest strap]

**Material :** Polyester/PP

**Standard :** conforms to EN 361:2002

**Colour :** black/green

**Adjustability :** fully adjustable shoulder & thigh straps

**Hook :** scaffolding/screw/manual/snap

**Rope :** 12mm PP (nylon, braided also available on demand)

**Energy/shock absorber :** available on demand

**Lanyard :** Single/double

## FULL BODY HARNESS : MODEL NO.: SH-007

[equipped with adjustable thigh straps. In addition to the dorsal D-ring, this harness is also provided with 2 front attachment textile for fall arrest.]

**Material :** Polyester/PP

**Standard :** conforms to EN 361:2002

**Colour :** black/green

**Adjustability :** fully adjustable shoulder & thigh straps

**Hook :** scaffolding/screw/manual/snap

**Rope :** 12mm PP (nylon, braided also available on demand)

**Energy/shock absorber :** available on demand

**Lanyard :** Single/double



## FULL BODY HARNESS : MODEL NO.: SH-008

[equipped with a dorsal D-ring for fall arrest with adjustable shoulder, chest & thigh strap ]

**Material :** Polyester/PP

**Standard :** conforms to EN 361:2002

**Colour :** black/green

**Adjustability :** fully adjustable shoulder & thigh straps

**Hook :** scaffolding/screw/manual/snap

**Rope :** 12mm PP (nylon, braided also available on demand)

**Energy/shock absorber :** available on demand

**Lanyard :** Single/double

**SPECIAL PURPOSE C€ CERTIFIED BELTS**

**METRO+ INTRODUCES SPECIAL PURPOSE HARNESSES DESIGNED FOR USE IN THE MOST CHALLENGING ENVIRONMENT**

**FULL BODY HARNESS : MODEL NO.: SH-009**

[equipped with two chest attachment textile loops with adjustable shoulder & thigh strap.]

**Material :** Polyester/PP

**Standard :** conforms to EN 361:2002

**Colour :** black/green

**Adjustability :** fully adjustable shoulder & thigh straps

**Hook :** scaffolding/screw/manual/snap

**Rope :** 12mm PP (nylon, braided also available on demand)

**Energy/shock absorber :** available on demand

**Lanyard :** Single/double



**FULL BODY HARNESS : MODEL NO.: SH-010**

[equipped with two chest attachments D-ring, adjustable shoulder & thigh strap.]

**Material :** Polyester/PP

**Standard :** conforms to EN 361:2002

**Colour :** black/green

**Adjustability :** fully adjustable shoulder & thigh straps

**Hook :** scaffolding/screw/manual/snap

**Rope :** 12mm PP (nylon, braided also available on demand)

**Energy/shock absorber :** available on demand

**Lanyard :** Single/double





# HOOKS & CONNECTORS

Special Purpose



## MODEL NO. 0001A

Material: Alloy Steel  
Gate Opening : 19mm  
Minimum Breaking Strength : 23 KN  
Conformity : EN-362 : 2004



## MODEL NO. 0001B

Material: Alloy Steel  
Gate Opening : 18mm  
Minimum Breaking Strength : 23 KN  
Conformity : EN-362 : 2004



## MODEL NO. 0001C

Material: Alloy Steel  
Gate Opening : 15mm  
Minimum Breaking Strength : 23 KN  
Conformity : EN-362 : 2004



## MODEL NO. 0001D

Material: Alloy Steel  
Gate Opening : 18mm  
Minimum Breaking Strength : 23 KN  
Conformity : EN-362 : 2004




## MODEL NO. 0001E

Material: Alloy Steel  
Gate Opening : 50mm  
Minimum Breaking Strength : 23 KN  
Conformity : EN-362 : 2004

## ENERGY ABSORBER



- The energy absorber opens up to an additional length of about 110cm, and hence the worker should always make sure that there is enough safe clear distance below his area work.
- A safe clear distance of 6m for a 2m Energy Absorbing Lanyard recommended.
- Conforms to EN355:2002









## ROPE GRAB FALL ARRESTER



- The rope grab and anchorage line is designed to prevent workers from falling during ascent or descent. It is particularly useful on sloping roofs where retractable lifelines may react too slowly.
- Rope grabs are designed for use within 14mm to 16mm Polymine synthetic rope lifeline with a minimum tensile strength of 28kN, secured to an anchorage independent of worker's platform.
- Available lifeline lengths are 10m, 20m 30m up to 100m.







## WEBBING LANYARDS (44mm)

Polyester Rope : Width 44 mm, Length - 2.0 m and also available in length 1.0 m, 1.5 m & 1.8 m

MODEL NO.	ATTACHMENTS	LANYARDS
<b>WRL 0001</b>	Link Connecting Polyester Rope Lanyard, Both Side Loops	
<b>WRL 0002</b>	Link Connecting Polyester Rope Lanyard, One Side Loop Other Side Karabiner	
<b>WRL 0003</b>	Link Connecting Polyester Rope Lanyard, One Side Loop Other Side Snap Hook	
<b>WRL 0004</b>	Link Connecting Polyester Rope Lanyard, One Side Karabiner Other Side Snap Hook	
<b>WRL 0005</b>	Link Connecting Polyester Rope Lanyard, One Side Loop Other Side Scaffold Hook	
<b>WRL 0006</b>	Link Connecting Polyester Rope Lanyard, One Karabiner Other Side Scaffold Hook	

## TWISTED ROPE LANYARDS

Three Strand Rope : Minimum Dia 12 mm, Length - 2.0 m and also available in length 1.0 m, 1.5 m & 1.8 m

MODEL NO.	ATTACHMENTS	LANYARDS
<b>TRL 0001</b>	Link Connecting Polypropylene Rope Lanyard, Both Side Loops	
<b>TRL 0002</b>	Link Connecting Polypropylene Rope Lanyard, One Side Loops Other Side Karabiner	
<b>TRL 0003</b>	Link Connecting Polypropylene Rope Lanyard, Both Side Karabiner	
<b>TRL 0004</b>	Link Connecting Polypropylene Rope Lanyard, One Side Loops Other Side Snap Hook	
<b>TRL 0005</b>	Link Connecting Polypropylene Rope Lanyard, One Side Karabiner Other Side Snap Hook	
<b>TRL 0006</b>	Link Connecting Polypropylene Rope Lanyard, One Side Loop Other Side Scaffold Hook	

### FORKED LANYARDS WITH ENERGY ABSORBER

Metro forked lanyards come in twisted ropes and also in 44mm Webbing and offer the facility to move in all directions while remaining safely anchored at all times.



#### MODEL NO. FL101

- Material : Twisted Rope Lanyard(12mm)
- Available in lengths : 1.5m, 1.8m & 2.0m
- Attachment Elements : Karabiner with Energy Absorber and double scaffold Hook.



#### MODEL NO. FL102

- Material : 44mm wide webbing.
- Available in lengths : 1.5m, 1.8m & 2.0m
- Attachment Elements : Karabiner with Energy Absorber and double scaffold Hook.

### ANCHORAGE WEBBING SLINGS

Metro provides a wide range of anchorage webbing slings of various configurations and length that can be altered as per the requirement.



#### MODEL NO. AWS103

- Material : 44mm wide webbing.
- Available in lengths : 1.5m, 1.8m & 2.0m
- Attachment Elements : One side Karabiner other side D-Ring



#### MODEL NO. AWS104

- Material : 44mm wide webbing.
- Available in lengths : 1.5m, 1.8m & 2.0m
- Attachment Elements : Both side Loop



#### MODEL NO. AWS105

- Material : 44mm wide webbing.
- Available in lengths : 1.5m, 1.8m & 2.0m
- Attachment Elements : Both side D-Ring



#### MODEL NO. AWS106

- Material : 44mm wide webbing.
- Available in lengths : 1.5m, 1.8m & 2.0m
- Attachment Elements : One side Loop other side D-Ring



## WORK POSITIONING ROPE LANYARD

Metro Has A Customized Work Positioning Lanyard. This Lanyard Can Be Connected To The Lateral D-ring On The Work Positioning Belt or Combination Harness And Easily Adjusted For Their Length To Suit The Application.

- Work Positioning Lanyard With Grip Adjuster Made Of
- 14mm Polyamide 3-strand Twisted Rope
- Has A Convenient Rope Grab Adjuster For Easy Length Adjustment
- Easy To Connect Connectors
- As Per En358:2000



Model No.: WPRL-001

## ANCHORAGE LINE

- Anchorage Line (To Be Used With Fall Arrester)
- 14mm, 16mm Dia Polyamide Rope One Side Loop Other Side Snap Hook

MODEL NO.	ROPE LENGTH
AL-10	10 Mtr
AL-20	20 Mtr
AL-30	30 Mtr
AL-50	50 Mtr
AL-100	100 Mtr

- Longer Length Also Available.



## RETRACTABLE BLOCK

- Retractable Fall Arrest Block Built-in Galvanized Steel Swivel Eye
- 3/20"(4mm) Galvanized Steel Cable Has A Tensile Strength Of 3080lbs(14kn), Length:10m
- P.p. Housing And Drum, Durable & Lightweight And Resistant To Corrosion
- Weight: 10.6lbs (4.83kgs)
- Meets The Requirements En 360



Model No.: RBFA-002

## WINDOW CLEANING KIT



Model No.	Description
<b>SB-1066</b>	Full Body Harness
<b>AL-100</b>	Anchorage Line 100 Mts. Long Polyamide Rope With One Side Snap Hook & Other Side End Stop Knot
<b>FA-0001(A)</b>	Rope Grap Fall Arrester With Karabiner
<b>KRL-50</b>	Anchorage Line 50 Mts. Long Karamental Semi Static Rope With One Side Snap Hook & Other Side End Stop Knot
<b>WPRL-01</b>	Work Positioning Lanyard With Automatic Grip Adjuster
<b>WS-901</b>	Sling
<b>CT-01</b>	Cow Tails(0.5m)
<b>CK-01</b>	Cutter Knife

# FOOT PROTECTION



## Safety Shoes **DHOOM**

**Sole Material :** Single density injected PVC  
**Upper Material :** Synthetic leather 1.5mm thick  
**Design Type :** Low Ankle/derby  
**Toe Cap :** Non EN Standard  
**Sizes Available :** 5 to 11 / 39 to 45  
**Weight :** 900 grams.(+50 gram per pair)  
**Model No.:** SH-001



## Safety Shoes **MAXO**

**Sole Material :** Single density injected PVC  
**Upper Material :** Synthetic leather 1.5mm thick  
**Design Type :** Low ankle/derby  
**Toe Cap :** Non EN Standard  
**Sizes Available :** 5 to 11 / 39 to 45  
**Weight :** 920 grams (+50 gram per pair)  
**Model No.:** SH-002

## Safety Shoes **MAXO PLUS**

**Sole Material :** Single density injected PVC  
**Upper Material :** Synthetic leather 1.5mm thick  
**Design Type :** Low ankle/derby  
**Sizes available :** 5 to 11 / 39 to 45  
**Weight :** 950 grams.(+50 gram per pair)  
**Model No.:** SH-003



## FOOT PROTECTION

### Safety Shoes **A-One**



**Sole Material :** Single density injected PVC

**Upper Material :** Synthetic leather 1.5mm thick

**Design Type :** Low ankle/derby

**Toe Cap :** Non EN Standard

**Sizes Available :** 5 to 11 / 39 to 45

**Weight :** 1.2 KG (+50 gram per pair)

**Model No.:** SH-004

### Safety Shoes **SAFE PLUS**

**Sole Material :** Single density injected PVC

**Upper Material :** Synthetic leather 1.5-1.6mm thick

**Design Type :** High Ankle

**Toe Cap :** Non EN Standard

**Sizes Available :** 5 to 11 / 39 to 45

**Weight :** 970 grams (+50 gram per pair)

**Model No.:** SH-005



### 11" COMMERCIAL **GUMBOOT**

**Material :** PVC

**Colour :** Black

**Sizes :** 7 to 10

**Weight :** 1.45kg (+50 gram per pair)

**Usage :** Industrial & Construction

**Model No.:** SG-006





# FOOT PROTECTION



11" DOUBLE DENSITY **FALCON**

**Colour :** Black & Red  
**Sizes :** 6 to 10  
**Weight :** 1.65kg (+- gram per pair)  
**Upper Material :** Soft PVC Rubber  
**Outsole :** fully moulded hard PVC outsole  
**Usage :** Industrial, Construction, Coal Mines etc.  
**Lining :** with fabric lining  
**Model No. :** SG-007



13" Double Density Steel toe/  
without steel toe **TUFLON**

**Colour :** Black & Red  
**Sizes :** 6 to 10  
**Weight :** 1.8kg/1.75kg (+-50 gram per pair)  
**Upper Material :** Soft PVC Rubber  
**Outsole :** Fully moulded hard PVC outsole  
**Toe Cap :** Extra wide toe cap as per IS standard  
**Usage :** Industrial, Construction, coal mines etc.  
**Lining :** with fabric lining  
**Model No.:** SG-008

15" Double Density Steel toe/  
without steel toe **MACLON**

**Colour :** Black & Red  
**Sizes :** 6 to 10  
**Weight :** 2.6kg/2.2kg(+50gram per pair)  
**Upper Material :** Soft PVC Rubber  
**Outsole :** Fully moulded hard PVC outsole  
**Toe Cap :** Extra wide toe cap as per IS standard  
**Usage :** Industrial, Construction, agriculture etc.  
**Lining :** with fabric lining  
**Model No.:** SG-009



## REFLECTIVE VESTS & DANGRI

### FULL SLEEVES JACKETS, MODEL NO.SJ-001



Metro's Florescent Reflective Jacket EN-471 CE Approved with white & gray reflective tape. Three side open and Velcro for adjustment. 2 inch wide Reflective Tape. Fabric Color available: - Orange, Green, Yellow, Red, Blue.

**Available in Mash fabric and fabric 90 Gsm. cloth**

### SAFETY JACKETS, MODEL NO.SJ-002



Nice Florescent Reflective Jacket with white reflective Tape. Tape size: - 1 inch & 2 Inch. Fabric Color available: - Orange, Green, Yellow.

**Available in Mesh and fabric 50 Gsm. cloth.**

### FULL SLEEVE JACKET MODEL NO.SJ-003



Florescent Reflective Jacket with white reflective Tape. Tape size: - 1 inch & 2 Inch. Fabric Color available: - Orange, Green, Yellow, Red, Blue.

**Available in Mash fabric and fabric 60 Gsm. cloth.**

### CROSS BELT, MODEL NO.SJ-004



Florescent Reflective Jacket with white reflective Tape. Tape size: - 1 Inch. Fabric Color available: - Orange, Green, Yellow, red, blue.

**Available in Mash fabric and fabric 60 Gsm. cloth.**

### SAFETY JACKETS, MODEL NO.SJ-005



Metro's Florescent Reflective Mesh Jacket EN-471 CE Approved with White & gray reflective Tape. Reflective Tape 2 Inch. Fabric color available: - Orange, Green, Yellow, Red, Blue.

**Available in Mesh and fabric 90 & 120 Gsm. cloth.**

### POLICE JACKETS, MODEL NO.SJ-006



Metro's Florescent Reflective Jacket EN-471 CE Approved gray Color reflective Tape with chain. Reflective Tape 1 Inch 2 tape in each side H shape front and back side and zipper for fastening. Fabric color available: - Orange, Green, Yellow, Red, Blue.

**Available in Mash fabric and fabric 90 Gsm. cloth.**

### SAFETY JACKETS, MODEL NO.SJ-007



Metro's Florescent Reflective Mesh Jacket EN-471 CE Approved. 2" Gray reflective Tape with contrasted color fabric patti and zipper for fastening. Reflective Tape 2 Inch. Fabric color available: - Orange, Green, Yellow, red, blue.

**Available in Mash fabric and fabric 90 Gsm. cloth.**

### SAFETY JACKETS, MODEL NO.SJ-008



Metro's Florescent Reflective Jacket EN-471 CE Approved gray Color reflective Tape with chain. Reflective Tape 1 Inch with contrasted dual color fabric patti tape in each side. H shape front and back side and zipper for fastening. Fabric color available: - Orange, Green, Yellow, Red, Blue.

**Available in Mash fabric and fabric 90 Gsm. cloth.**

### 3 SIDE OPEN JACKETS, MODEL NO.SJ-009



Metro's Florescent Reflective Jacket EN-471 CE Approved with white & gray reflective tape. Three side open and Velcro for adjustment. 2 inch wide Reflective Tape. Fabric Color available: - Orange, Green, Yellow, Red, Blue.

**Available in Mash fabric 125 Gsm. cloth.**

### SAFETY JACKETS, MODEL NO.SJ-010



Metro's Florescent Reflective Mesh Jacket EN-471 CE Approved with gray reflective Tape 2 Inch in front left side two pocket one have flap and other open one ring for whistle and two flap pocket on lower part of jacket and zipper for fastening. Fabric color available: - Orange, Green, Yellow, Red, Blue.

**Available in Mash fabric 125 Gsm. cloth.**

## SAFETY JACKETS, MODEL NO.SJ-011



Metro's Florescent Reflective Jacket EN-471 CE Approved with gray reflective Tape 2 Inch. This fabric has 35% cotton and 65% polyester for comfort wearing Fabric color available. :- Orange, Green.

**Available in fabric 200 Gsm. cloth**  
**Both options available for fastening zipper or Velcro.**

## SAFETY JACKETS, MODEL NO.SJ-012



Metro's Florescent Reflective Jacket EN-471 CE Approved with gray reflective Tape 2 Inch tape size two horizontal and two vertical. This fabric has 35% cotton and 65% polyester for comfort wearing Fabric color available. :- Orange, Green.

**Available in fabric 200 Gsm. cloth**  
**Both options available for fastening zipper or Velcro.**

## SAFETY JACKETS, MODEL NO.SJ-013



Metro's Florescent Reflective Jacket EN-471 CE Approved with gray reflective Tape 2 Inch tape size two horizontal and two vertical and two packets on front side of jacket.

**Fabric color available. :- Orange, Green.**  
**90 Gsm. fabric cloth**  
**Both options available for fastening zipper or Velcro.**

## SAFETY JACKETS, MODEL NO.SJ-014



Metro's Florescent Reflective cross belt Jacket EN-471 CE Approved with Gray reflective Tape .Reflective Tape 2 Inch. Fabric color available: - Orange, Green.

**Available in MESH & fabric 200 Gsm. cloth.**

## SAFETY JACKETS, MODEL NO.SJ-015



Metro's Florescent Reflective Jacket EN-471 CE Approved gray Color reflective Tape with chain. Reflective Tape 1 Inch 2 tape in each side H shape front and back side and zipper for fastening.

**Fabric color available: - Orange, Green, Yellow, red, blue.**  
**Available in Mash fabric 125 Gsm. cloth.**

## ELASTIC BELT, MODEL NO.SJ-016



Reflective safety cross belt woven elastic belt adjustable at 4 points

**Available in orange, green, multicolor reflective**  
**1 cm wide reflective stripe**

## DANGRI, MODEL NO.SJ-017



Our **Dangri** (over all) are available in various knitted fabric and colours. These are manufactured using quality fabric, raw material and thread thus make high quality dangri to match user needs. Dangri are manufactured as per client / customer requirements and specifications.

## DANGRI, MODEL NO.SJ-018



Our **Dangri** With white Reflective Tape (over all) are available in various knitted fabric and colours. These are manufactured using quality fabric, raw material and thread thus make high quality dangri to match user needs. Dangri are manufactured as per client / customer requirements and specifications.

## ROAD SAFETY CONES, MODEL NO. RSC001



Height : 750mm  
Weight : 3.6kg (+-100grm)  
Colour : red/orange  
Reflective Sleeve : 4"  
Size : 750(H)x380x380mm  
Material : LDPE (fully virgin material to give strength & rigidity)  
Application : parking lots, traffic re-routing

## ROTO CONES, MODEL NO. RC002



Height : 750mm & 1000 mm  
Weight : 1.5kg, 2kg, 4.6kg(+100grm)  
Colour : red  
Reflective Sleeve : 4" & 6"  
Material : LDPE (fully virgin material to give strength & rigidity)  
Application : parking lots, traffic re-routing

## ROAD SAFETY CONE, MODEL NO. RSC-003



Height : 750mm  
Weight : 1.2kg(+100grm)  
Colour : red/orange  
Reflective Sleeve : 4"  
Size : 750(H) x (Base) 380x380mm  
Material : LDPE (fully virgin material to give strength & rigidity)  
Application : Pasting Lots, re-routing

## SPRING POST MODEL NO.SP004



Height : 750mm  
Colour : Orange  
Material : PVC, PU  
Size : 200x200mm (Base)  
Weight : 1kg (+100grm)

## CAUTION WET FLOOR, MODEL NO.CWF005



Lightweight and versatile; makes a heavy statement about safety Two-sided, 25" (63.5 cm) model for use in narrow areas. Folding design for convenient storage or transport on the MRI Custodial Cart.

## SOLAR DELINEATORS, MODEL NO. SD006



- (1) Height = 2.5 Fit, Dia = 2.5 Inch
- (2) Height = 2 Fit, Dia = 2 Inch
- (3) Height = 3 Fit, Dia = 3 Inch
- (4) Height = 2.5 Fit, Dia = 2 Inch
- (5) Size = 75 x 80 mm

## ROAD BARRIERS, MODEL NO. RB007



Size : 1000x500x800mm  
Water Ballast : 15 Ltr.

## ROAD BARRIERS, MODEL NO. RB008



Size : 1500X400X950mm

## ROAD BARRIERS, MODEL NO. RB009



Size : 1600x550x900mm  
Water Ballast : 65 Ltr.

## TRAFFIC CONE CHAIN MODEL NO. TCC010



Material : PVC  
Thickness : 4mm, 6mm, 8mm



## PARKING STOPPER, MODEL NO. PS-011



**Parking Stopper**

Size : 500x170x130mm  
500x125x100mm  
600x120x100mm

## CORNER GUARD, MODEL NO.CG-012




Pre-Coloured Material, do not require Repainting  
Instant Installation with application of Epoxy and  
Spikes for Anchoring  
Comes with a standard Skid Resistant Base  
UV, Moisture and Temperature Resistant  
Available in Black and yellow combination for  
Greater Visibility

**Block Size :** 800X100X10mm, 1000X95X10mm

**Type :** U-Shape and V-Shape

## PLASTIC SPEED BUMPS, MODEL NO.PSB-013



**Plastic Speed Bumps**

Length : 250 mm  
Width : 350 mm  
Height : 50 mm  
Reflector Type: PMMA reflectors


## PLASTIC SPEED BUMPS, MODEL NO.PSB-014



**Plastic Speed Bumps**

Length : 500 mm  
Width : 400 mm  
Height : 75 mm

## RUBBER SPEED BUMPS, MODEL NO.RSB-015



**Rubber Speed Bumps**

Length : 410 mm  
Width : 500 mm  
Height : 50 mm

## RUBBER SPEED BUMPS, MODEL NO.RSB-016



**Rubber Speed Bumps**

Length : 410 mm  
Width : 500 mm  
Height : 75 mm

## SEARCH LIGHT, MODEL NO. SL-017



160mm dia x 250 mm length fitted with specially  
designed deep parabola reflector having 50/55 watt,  
12 volts halogen lamp, 12 volts & 7AH rechargeable  
maintenance free battery. Micro controller based HHSL  
Suitable for 55W Halogen Lamp Operating range of  
about 1000mt (i.e. 1km) Beam distance of 350 mt.  
(minimum) so as to detect group of persons. Shock  
resistance front glass. SMPS inbuilt charger working  
on from 90v to 270v. Membrane switches (Gold plated  
tracks with minimum life of 1 million operations)  
back lit with distinct color LED.

## Q-MANAGER, MODEL NO. QM-018



Metro Q-Manager are freestanding or  
floor-fixed stainless steel stanchions  
with various 2.5m tapes and fitting  
options. A 320 degree rotating tape  
head is also available to allow for  
constantly changing queuing configurations.

### Dimensions :

**Stanchion height : 1000 mm**  
**Post diameter : 63 mm**  
**Base diameter : 320 mm**  
**Tape length : 2.5 meter**  
**Weight : 7.500 kg (approx.)**

## PARKING POLE, MODEL NO.PP-019



**Parking Pole:**  
4 way Ring to make it easy to  
hang hook ends Red Velvet Rope

**Height : 1000mm**  
**Post diameter: 63 mm**  
**Base diameter: 320 mm**




## SOLAR ROAD STUD, MODEL NO.SRS-020



### SOLAR ROAD STUD

**Material:** Aluminum alloy shell and clear PC cover  
**Size:** 132x122x75mm (include the back metal handle)  
**Battery:** 1.2V 1400Ma rechargeable Ni-Cd battery  
**Solar panel:** 0.4W  
**Light sources:** 6pcs super bright LEDS

## PLASTIC ROAD STUD, MODEL NO. PRS-021



**Size :** 102x90x14mm  
**Colours :** Yellow+Yellow  
Red+White  
Red+Red

## ALUMINIUM ROAD STUD, MODEL NO.ARS-022



### Aluminium Road Stud With Bids

**Dimension:** 100 x 100 x 20 mm  
**Direction :** Two way Reflective  
**Reflector :** Glass Bids 21 Each Side  
**Length Anchoring Shank :** 50 mm  
**Length of Shank at the Top of Stud :** 70 mm  
**Material :** Aluminum Alloy Body  
**Color :** Yellow, white, Red

## TRAFFIC LIGHT BATON, MODEL NO.TLB-023



### Traffic Light Baton

In this scenario our road safety and enforcement gadgets come as a boon to traffic control authorities. Our PVC Traffic Safety Cones and Traffic Control LED Light Batons are precision made to combat all traffic hazards.

**Length :** 21"  
**Colours :** Red+Green  
**Battery Type :** Cell & Rechargeable

## REFLECTIVE TAPE, MODEL NO. RT-024



**Color Available :**  
White, Green,  
Yellow, Blue,  
Red.

**Material :** PVC  
**Width :** 2"

## CAUTION TAPE, MODEL NO.CT-025

Made of Polythene Strip in two color lamination Ultra-violet scratch resistant, width of strip 50mm 75mm & 100mm and length of roll 100/300/500mtr. Printing message can done accordingly to requirement of purchaser.



**Color Available :**  
White, Red,  
Yellow, Black.  
**Width :** 3"  
**Material :** PVC

## CONVEX MIRROR, MODEL NO.CM-026



130 degree of viewing angle for internal and external purposes Made up of Polycarbonate reflective Mirrors. Body is made of ABS, Fibre, Plastic Outdoor use with hood Complete with Mounting Hardware  
**Size :** 45cm, 60cm, 80cm, 100cm

## WHEEL CHOCK, MODEL NO.WC-027

**Size -:** 290x180x120mm  
375x225x220mm



Safety Net Size	Mesh Size	Mesh Rope	Additional
10m x 3m	25mm	2 mm Double Cord	-
10m x 3m	100mm	4mm	-
10m x 3m	100mm	4mm	With Overlay Net
10m x 5m	25mm	2mm Double Cord	-
10m x 5m	100mm	4 mm	-
10m x 5m	100mm	4 mm	With Overlay Net
6m x 4m	25mm	2 mm Double Cord	-
6m x 4m	100mm	4 mm	-
6m x 4m	100mm	4 mm	With Overlay Net

● SAFETY NET-YELLOW



MODEL NO. SN-101

● SAFETY NET-BRADED



MODEL NO. SN-102

● SAFETY NET-OVER LAY




MODEL NO. SN-103

● SAFETY NET-BOTANICAL



MODEL NO. SN-104

● SAFETY NET-  
DOUBLE CORD



MODEL NO. SN-105

Size : 1mtr X 45mtr  
Color : Orange  
Material : PVC



MODEL NO. SN-106

## WOODEN LADDER



Pillar Size: 18"  
Dia : 32mm  
Rope Dia : 12mm & Various Other Ropes  
Dia Exempler - A-12mm, B-14mm, C-18mm,  
D-20mm, E-22mm, F-24mm etc.

MODEL NO. WL-107

## ALUMINUM LADDER



Pillar Size: 18"  
Dia : 24mm  
Rope Dia : 12mm

MODEL NO. WL-108

## EYE PROTECTION



**Zoom Goggles**  
**Model No. EP001**



**Suntech Goggles**  
**Model No. EP002**



**Sunlite Goggles**  
**Model No. EP003**



**Safeline Goggles**  
**Model No. EP004**

## HAND PROTECTION



**Dotted Handgloves**  
**Model No. HP-001**



**Electric Handgloves**  
**(11 KV, 33 KV)**  
**Model No. HP-002**



**Leather Handgloves**  
**Model No. HP-003**



# HAND PROTECTION



**Latex Coated Handgloves**  
**Model No. HP-004**



**Rubber Handgloves**  
**Model No. HP-005**



**Knitted Handgloves**  
**Model No. HP-006**



**Cut Resistant Handgloves**  
**Model No. HP-007**

# MISCELLANEOUS PRODUCTS

**WARNING LIGHTS,**  
**MODEL NO. WL001**



**EAR PLUG, MODEL NO.**  
**MODEL NO. EP003**



**WHEEL LOCK,**  
**MODEL NO. WL002**



**FLOOR MARKING TAPE,**  
**MODEL NO. FMT004**





**Life Jacket**  
**Model No.LJ-001**



**Rubber Dock Bumper**  
**Model No.RDB-007**



**Loto Kit**  
**Model No.LK-002**



**Ear Plug**  
**Model No.EP-008**



**Life Buoy**  
**Model No.LB-003**



**(Fire Blanket)**  
**Model No.FB-009**



**Hand Metal Detector**  
**Model No.HMD004**



**Ear Muff**  
**Model No. EM-010**



**Fire Extinguisher**  
Type: Co2, Powder, Foam, Chemical  
**Model No.FE005**



**Face Shield**  
(6x11, 9x11)  
**Model No. FS011**



**Polycarbonate Lathi**  
**Model No.PL-006**



**First Aid Box**  
**Model No.FAB-012**



## WHY CHOOSE US !

METRO SAFETY PRODUCTS is a recognized leader in the distribution of safety products for past 25 years regarding construction sites, Automobile industries, Mining industries, Oil & Gas Industries.

**Customer-focused:** We provide our customers with superior service and are always responsive to their needs.

**Unparalleled Service:** We go above and beyond for our customers and consistently provide them with service that exceeds their expectations.

**Cost-effective Pricing:** We offer the highest quality products at reasonable prices to increase productivity and bottom-line savings.

**Experienced Employees:** Our highly-qualified employees provide clients with quality products and services as well as training.

### Knowledgeable Team Members:

When you speak with our associates, you can feel confident that you're in good hands. We strive to keep our team members knowledgeable through regular training.

## WHY OUR CUSTOMER LOVES US !

**At METRO SAFETY PRODUCTS**, our goal is to always exceed our customers' expectations. This is the reason why our customers are highly satisfied with our service, and come back to us time and time again.



## OUR CLIENTELE



Ahluwalia Contracts (India) Ltd.





# METRO SAFETY PRODUCTS

DELHI - 110087

**CONTACT**



Plot No.487/225-226, Near Mata Chowk,  
Peeragari, West Delhi - 110087



Narender Kumar Singhal : 9318412134  
Varun Singhal : 9953062517 Ph.: 011-25250207



[info.metrosecurityindiapro@gmail.com](mailto:info.metrosecurityindiapro@gmail.com)



[www.metrosecuritypro.com](http://www.metrosecuritypro.com)